ENTIALS

FIRST FOR TOOLS, CONSUMABLES AND WORKSHOP EQUIPMENT

> **ISSUE 67 1 AUGUST - 31 OCTOBER 2025**



SERVICE TOOL KIT

This set is ideal for the most common maintenance tasks. All tools are fully organised and everything has it's own specific place making it easy to identify if any tools are missing when packing up after the job is done. The compact, robust case is easy to grab when a job needs to be done!







Hex Key Sets Magnetic Pick Up Tool with Pen Bits Driver & 125° Hook Tool

THDV105

The all new HEAVY DUTY service kit ideal for the most common maintenance tasks

105 Pieces

> **PORTABLE TOOL** SOLUTIONS

\$803^{.85} inc

PRO35 MagBase Drill 920W/350RPM

Holemaker

- Bonus Cutter Set **Specifications**

- · Capacity (Diameter/max) 35mm
- DOC (Depth of Cut/max) 52mm
- Height (min / max) 306mm / 376mm
- Capacity (Twist Drills) 16mm (Weldon Shank ONLY)
- Motor Input Power 1000 Watt
- Motor Output Power 920 Watt
- Speed 350rpm
- Magnet Dead Lift 9500Nm (25mm steel plate)
- Weight 10.0kg

\$1493.85 inc

Includes 14, 18, 22mm cutters & pilot pin



See page 4 more details

IF YOU HAVEN'T GOT IT, YOU CAN'T USE IT!



40 Piece 1/2" Drive Metric Regular Impact Socket Set

Code No. T9240









Reg & Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 28, 29, 30 & 32mm Retaining pins (2 pcs) and rings (2 pcs) included

\$458^{.85} inc

95 Piece Socket & Tool Set

Code No. TM095









Flip reverse ratchet, Universal Joint, 2" & 4" Extension bars, Sliding T bar, Spinner handle, Coupler adaptor, 50mm Magnetic bit holder

Flip reverse ratchet, 5" & 10" Extension bars, 5/16" Hex coupler, 3/8"Fx1/2"M T bar adaptor, Universal Joint



Reg: 4-13mm Deep: 4-13mm



3 & 4mm



8, 10, 12, 13, 14 & 17mm

5/16" Hex bits (**)







\$343.85 inc



39 Piece 3/8" Dr. Metric Regular / Deep Socket Set

Code No. T3839









Regular: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 & 22mm Deep: 8, 10, 12, 13, 17 & 19mm

16 & 21mm Spark Plug Sockets

1/4" Hex Bits











PZ1 & PZ2

Flip reverse ratchet, Universal joint, 3" Wobble extension bar, 6" Extension Bar, Coupler adaptor, 1/2"Fx3/8"M T bar adptor

\$148.35 inc

21 Piece 1/2" Dr. Metric Regular Socket Set

Code No. T1221









10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30 & 32mm

Flip reverse ratchet, 2 1/2" & 6" Extension Bars, Universal Joint, 3/8"Fx1/2"M T-bar adptor

\$182.85 inc

44 Piece 1/2" Dr Socket & Tool Set

Code No. T1244













Regular Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 & 32mm Regular AF: 3/8", 1/2", 9/16", 19/32, 11/16", 25/32", 13/16" & 1" Deep Metric: 10, 13, 17 & 19mm

16 & 21mm Spark Plug Sockets





PZ1 & PZ2





36 Piece 1/4" Dr. Metric Regular / Deep Socket Set



Regular: 4, 5, 5.5, 6, 7, 8, 10, 11, 12 & 13mm Deep: 6, 7, 8, 10, 12 & 13mm

TX10, TX15 & TX20

1/4" Hex Bits

Code No. T1436

1/4"I



\$86.25 inc





1033 Piece Pro35™ 26" Mega Master Tool Kit













7 x 30kg drawer capacity 9 x 40kg drawer capacity

Combination Lock







3 Step Ball Bearing Slides



5" x 1-1/4" Castor Wheels























Also Available in Black (Code No. TKS26B1033T)

\$8048.85 inc

• The tool kit includes a variety of drive sockets - 1/4, 3/8, 1/2 & 3/4", bit sockets and ratchets, catering

- The total kill induced a value of drive societies of 1, 50, 50 at 31 at 1, bit sockets and radiates, caleing to different sizes and types of fasteners.

 The kit is further enriched with impact tools, combination spanners, screwdrivers, and an assortment of bits. T-handle Hex & TX Keys, pilers, power grips, and files add versatility to the kit.

 Pry bars, torque wrenches, taps, dies, and inspection tools are included for more specialized
- Thy bars, todge wenteres, taps, dies, and inspection tools are included for more specialized applications.
 The tool kit contains imperial spanners & sockets, along with a range of general tools, thereby covering most everyday aspects of mechanical and industrial tool needs.
 The top & middle storage have a new recessed side handle and flat aluminium drawer front handles.



1034 Piece Pro35™ 26" Stack Tool Kit

Code No. TKS26R1034T












5 Step Phosphate Free Rust Protection


















- 13W20K7 floor closine with 7 drawers, 13W20K3 initiate tool cless with 3 drawers and 13120K4 top tool cless with floor drawers and 1412 drive 12 point sockets, bit sockets, intended tools, combination spanners, screwdrivers, bits, T-handle hex & TX keys, pliers, files, pullers, drills and measuring tools.
 TCA08 paper holder

663 Piece Pro35™ 37" Roller Cabinet Tool Kit

Code No. TKW37R663T















2 x 40kg drawer capactive

Comfort Grip Handle





3 Step Ball Bearing Slides









\$5748^{.85} GST

The tool kit includes essential tools for automotive work: 1/4", 3/8" & 1/2" drive sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, bits, T-handle hex & TX keys, pliers, torque wrenches, pullers, taps & dies, inch spanners & sockets, and various general tools.



PRC35"



1008 Piece Pro35™ 37" Roller Cabinet Tool Kit

Code No. TKW37B1008T











3 Piece Heavy Gauge Steel Cabinet Frame



5 Step Phosphate Free Rust Protection



Up to 40kg drawer loading capacity



Combination Lock



5" x 2" Castor Wheels with Brakes



3 Step Ball Bearing Slides





- This tool kit includes a wide array of tools essential for mechanical auto professionals: 1/4, 3/8 & 1/2" drive sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, Thandle hex & TX keys, pliers, measuring and inspection tools, pullers, torque wrenches, and more.

 Each toolset is precisely arranged in a dedicated module as part of the TengTools tool control system, allowing for a flexible and dynamic tool kit arrangement.

 This system enhances organization and aids in quickly identifying any missing or inadvertently misplaced tools.

 Additional features include an 18 mm thick worktop in hard-wearing laminated MDF, a vice and vice shelf, a magnetic bits tray, and a paper holder.

 The tool kit also comes with seven TTZO1 storage modules in tool tray module size X2 (TTX2) featuring 6 compartments, ideal for storing small components and consumables.





1295 Piece Pro35™ 53" Monster Stack Tool Kit

Code No. TKS53R1295T































3 Piece Heavy Gauge Steel Cabinet Frame

3 Step Ball Bearing Slides






Combination Lock



19 x 40kg drawer capactiy















[•] TSW53R9 roller cabinet with 9 drawers and TST53R10F tool chest with 10 drawers.

• 1/4", 3/8", 1/2" & 3/4" drive sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, bits, T-handle hex & TX keys, pliers, torque wrenches, taps, dies, drills, inch spanners, inch sockets, inch hex, pullers, inspection tools, files, scrapers, general tools, and a selection of VDE Tools.

• TCF07 fixing bracket







TAG 5 friends who are passionate about tools



POST a selfie or project photo/video showingcasing YOUR TENG TOOLS in action



FOLLOW us on Facebook, Instagram or LinkedIn







IG: @tengtoolsnz



Linkedin: Teng

Whether you're from farming, forestry, marine, manufacturing, motor sports, or serious DIYer, this tool kit is built for those who demand quality. Enter our giveaway to win!

See our Social Media post for more information.

We'll be announcing one lucky winner on 3rd November 2025, on our social media pages.

2 Drawer Pro35™ 11" Tool Chest

Code No. TST11R2



2 Drawer

11" Wide Cabinet

2.95kg

\$169.05 inc

Compact 11" width, ideal for limited space

- Two fully extendable drawers with smooth running ball bearing slides

 Constructed from top-quality steel treated with a 5-step phosphate-free rust prevention process and a powder coat finish

 Dimensions: W 310 x D 210 x H 190mm

Drawer Pro35™ 26" Tool Chest

Code No. TST26R4



	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	380	
Drawer 1-3	569	275	50	30
Drawer 4	569	275	75	30

4 Drawer

26" Wide Box

21.4kg

Black Version is available as well (TST26B4)

\$627.33 inc

5 Drawer Pro35™ 26" Deep Tool Chest

Code No. TST26R5F



	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	455	483	
Drawer 1-2	575	380	50	30
Drawer 3-5	575	380	75	30





44.4kg

\$1005.10 inc



PRQ35™




5 Drawer Pro35™ 37" Tool Chest



	Width mm	Depth mm	Height mm	Capacity kg
Overall	945	455	483	
Drawer 1-2	860	380	50	25
Drawer 3-5	860	380	75	25



10 Drawer Pro35™ 53" Tool Chest









	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	680	460	813	
Cabinet + Wheels	680	460	960	
Drawer 1-9	575	380	75	40



63kg



9 Drawer Pro35™ 26" Roller Cabinet



	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	680	460	813	
Cabinet + Wheels	680	460	960	
Drawer 1-9	575	380	75	40



\$1349.00 \$1551.35 inc



4 Drawer Pro35™ 26" Low Roller Cabinet





-				
	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	680	460	656	
Cabinet + Wheels	680	460	770	
Drawer 1-3	575	380	75	40
Drawer 4	575	380	312	40

4 Drawer

26" Wide Cabinet

4" x 1-1/4" Castor Wheels

49.59kg

\$926.00
\$1064 ^{.90} inc

6 Drawer Pro35™ 26" Roller Cabinet

Code No. TSW26R6



	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	680	460	656	
Cabinet + Wheels	680	460	770	
Drawer 1-5	575	380	75	40
Drawer 6	575	380	154	40



\$1147.00 \$1319.05 inc \$557








6 Drawer Pro35™ 26" Low Roller Cabinet





	awe
--	-----









\$1025^{.00}

\$1178^{.75} inc

7 Drawer Pro35™ 26" Roller Cabinet

Code No. TSW26R7



	Width mm	Depth mm	Height mm	Capacity kg	
Cabinet	680	460	813		
Cabinet + Wheels	680	460	960		
Drawer 1-5	575	380	75	40	
Drawer 6-7	575	380	154	40	

7 Drawer 26" Wide Cabinet

5" x 1-1/4" Castor Wheels 0 64kg

8 Drawer Pro35™ 37" Roller Cabinet (Black)

Code No. TSW37B8



460

8	rawer
---	-------





O	7 Drawer I	Pro35™	3 7 " I	Roller	Cabi
Code N	lo. TSW37R7				



7 Drawer
37" Wide Cabinet
5" x 2" Castor Wheels
78.6kg

inet

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	964	460	813	
Cabinet + Wheels	964	460	985	
Drawer 1-5	860	380	75	25
Drawer 6-7	860	380	154	40

\$1861.85 inc

Cabinet

Cabinet + Wheels

9 Drawer Pro35™ 53" Roller Cabinet

813

985

Code No. TSW53R9



9	Drawer





\$1861.85 inc

152.34kg

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	1350	460	813	
Cabinet + Wheels	1350	460	993	
Drawer 1	1215	380	160	40
Drawer 2-7	575	380	75	40
Drawer 8-9	575	380	154	40



15 Drawer Pro35™ 64" Roller Cabinet

Code No. TSW64R15

Drawer 14-15



	, TENGTOOLS			
	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	1640	460	974	
Cabinet + Wheels	1640	460	1153	
Drawer 1-6	575	380	75	40
Drawer 7	575	380	312	40

380

15 Drawer
64" Wide Cabinet
6" x 2" Castor Wheels
Single Drawer Opening
171.5kg

\$5958.73 inc




A MODULAR SYSTEM TH

Our tool sets are available in different sizes (1-4 & X2-X4). These can be combined to fit perfectly it 940 or 1












IAT FITS ALL STORAGES

nto your chosen storage solution, regardless of whether you have a storage that is portable, 660, 346mm.









150mm Punches:

Centre - 5mm Parallel - 3, 4, 5, 6, 7 & 8mm

Flat cold chisels: 150mm - Width: 18mm 200mm - Width: 25mm \$127.65 inc

Code No. TTV3814



3/8" Drive Insulated Ratchet, 6" Insulated Socket Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm \$463.45 inc



T-handle grip, 2 & 2.5mm Mini Hex Screwdrivers

\$212^{.75} inc GST



while stock lasts



140 Piece General Service Metric Starter Kit


Code No. TC8140NF





- 6 Drawer
- ≥ 26" Wide Box
- 3 Step Ball Bearing Slides
- Heavy Gauge Steel
- Comfort Grip Handle
- 5-Step Rust Protection
- Combination Lock











- A comprehensive mechanics starter kit built up using the TengTools Tool Control system
- Supplied in a red TengTools 26" 6 drawer top box with 3 full width drawers and 3 smaller drawers secured with a combination lock
- Drop front with the TengTools logo to cover the drawers when the box is closed
- · A handy lightweight plastic and aluminium tote tray is included for taking tools to the job in hand



280 Piece General EVA Foam Tool Kit

Code No. TCMME09C





- 7 Drawer
- 26" Wide Cabinet
- Heavy Gauge Steel
- 5 Step Rust Protection
- 5" Castor Wheels with Brakes
- 3 Step Ball Bearing Slides
- Comfort Grip Handle
- Combination Lock



Drawer 2/7



Drawer 4/7



Drawer 5/7



Drawer 3/7

Drawer 6 & 7/7

\$3190^{.10} GST

- · A comprehensive 280 piece tool kit with all tools laid out in two-colour pre-cut EVA foam which clearly shows if any tools are not in their correct place.
- Supplied in the Teng Tools TCW807N roller cabinet with ball bearing slides.



277 Piece PRO Cabinet Tool Kit

Code No. TCMME09CQ





- 7 Drawer
- 26" Wide Cabinet
- Heavy Gauge Steel
- 5 Step Rust Protection
- 6" Castor Wheels with Brakes
- 3 Step Ball Bearing Slides
- Comfort Grip Handle





• 72 teeth spanners with 1/4", 3/8" Drives with sockets from 4mm up to 22mm • Combination Spanners from 5.5 to 38mm



Drawer 1/5







Drawer 4/5



Drawer 5/5

 $$3276^{.35}\,_{GST}^{inc}$

- 25 different types of screwdrivers and a mixed selection of different bits in 25 and 50mm length together with a ratcheting bit driver
 A set with nut drivers in sizes from 5.5 to 13mm and T-handles in both hex 2.5 to 8mm and TX/TP from 10 to 40
 14 different pliers that will cover most application. Vinyl grips for slim design allows for greater access in tight places





3 Drawer 8 Series Middle (Stacker) Tool Box



26" Wide Cabinet

3 Step Ball Bearing Slides

Comfort Grip Handle

Heavy Gauge Steel

Combination Lock

5-Step Rust Protection

• Each full width drawer is suitable for holding 4 TengTools TC1 modules
• Supplied with EVA drawer mats and plastic trimmed handles
• Drawers have ball bearing slides for a smoother and more reliable opening and closing action
• Supplied with rubber feet to prevent it from sliding and to avoid scratching
• Use with the tool modules from the TT Series or FOAM Series in the TengTools Tool Control system to build your ultimate to

\$378.35 inc

tool kit					Thickness
	Width	Depth mm	Height mm	Capacity kg	0.7mm
Overall	660	305	250		Body Frame Thickness
Drawer 1	569	275	50	30	0.8mm
Drawer 2	569	275	50	30	Weight
Drawer 3	569	275	75	30	13kg



Drawer Thickness

Body Frame Thickness

1.2 / 1.0mm

Weight

Drawer Thickness

Body Frame Thickness

1.2 / 1.0mm

Weight

64kg

6 Drawer 8 Series Roller Cabinet

Code No. TCW806N

- Five 75mm deep drawers and one 150mm deep
- drawer for storing large items

 Low height making it ideal for use beneath a low workbench
- workberkti
 Each drawer is suitable for holding 4 TengTools TC1
 modules plus a TengTools TCX4 module
 Supplied with an ABS top mat and EVA drawer mats
- in each drawer
- in each drawer

 Drawers have ball bearing slides for a smoother and
 more reliable opening and closing action

 Use with the tool modules from the TT Series or FOAM
 Series in the TengTools Tool Control system to build
- vour ultimate tool kit



30

30

Capacity kg

30

30

813

960

75







26" Wide Cabinet



3 Step Ball Bearing Slides



eavy Gauge Steel



Comfort Grip Handle





670

670

575

460

460

380

7 Drawer 8 Series Roller Cabinet

656

770

75

150

Code No. TCW807N

Drawer 1-5



Drawer 1-5

Drawer 6-7

575

380

380

- Five 75mm deep drawers & two 150mm deep drawers for storing large items
 Each drawer is suitable for holding 4 TengTools TC1 modules
- Supplied with an ABS top mat and EVA drawer mats in each Drawers have ball bearing slides for a smoother and more
- reliable opening and closing action

 Use with the tool modules from the TT Series or FOAM
 Series in the TengTools Tool Control system to build your
 ultimate tool kit


043.00

\$1199.45 inc



5" Castor Wheels with Brakes













6 Drawer 8 Series Top Box

Code No. TC806NF

26" Wide Box

3 Step Ball Bearing Slides Comfort Grip Handle Heavy Gauge Steel Combination Lock



- Drop front with the TengTools logo to cover the drawers when the boy is closed
- Each full width drawer is suitable for holding 4 TengTools TC1 modules
- Supplied with an EVA drawer mat and plastic trimmed handle A handy lightweight plastic and aluminium tote tray is
- included Drawers have ball bearing slides for a smoother and more
- reliable opening and closing action Supplied with rubber feet to prevent it from sliding and to
- avoid scratching
 Use with the tool modules from the TT Series or FOAM Series in the TengTools Tool Control system to build your ultimate

\$5/8.45					
	Capacity kg	Height mm	Depth mm	Width mm	
Drawei		375	305	660	Overall
Thickne	8	50	275	170	Drawer 1
0.7mm	8	50	275	170	Drawer 2
Body Fran Thickness	8	50	275	170	Drawer 3
0.8mm	30	50	275	569	Drawer 4
Weight	30	50	275	569	Drawer 5
23 Aka	30	75	275	560	Drawer 6

10 Drawer 8 Series Roller Cabinet

Code No. TCW810N

5-Step Rust Protection



Cabinet

Cabinet +

Drawer 1-6

Body Frame

1.2 / 1.0mm

Weight

69ko

670

575

575

460

380

380

- Six 50mm deep drawers, three 75mm deep drawers and one 150mm deep drawers, tillee 75mm deep drawers and om 150mm deep drawer for storing large items Each drawer is suitable for holding 4 TengTools TC1 modules
- plus a TengTools TCX4 module
- Supplied with an ABS top mat and EVA drawer mats in each drawer
 Drawers have ball bearing slides for a smoother and more
- reliable opening and closing action
 Use with the tool modules from the TT Series or FOAM Series
- in the TengTools Tool Control system to build your ultimate

\$1378.85 inc



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Comfort Grip Handle



Drawer7-9 75 30 Combination Lock 30 Drawer 10 575 380 150

30

813

50

9 Drawer Storage Cabinet (no wheels)

Code No. TCW-CAB09



Designed for use as a heavy duty workshop / warehouse consumable parts / fastener storage unit.

- Red lacquered steel plate.
 Equipped with 9 lockable drawers fitted with ball bearing slides.
- Lock with 2 keys.
 Net Weight: 62kg

Max. load per drawer - 25kg



3 Step Ball Bearing Slides Heavy Gauge Steel

5-Step Rust Protection

Key Lock

\$884^{.35} inc

	Width mm	Depth mm	Height mm	Capacity kg
Overall	680	465	815	
Drawer 1-9	576	380	50	25



Auto Ratchet Tie Down Straps



Specifications

Hook: S Type
 Conforms to AS/NZ 4380 Austrailian Standard

\$34^{.00}(ex GST) \$39^{.10}(inc GST) PE2210 - 3.5M • Size: 25mm x 3.5M

Lashing Capacity: 320kg
 Breaking Strength: 640kg

\$44.00_(ex GST) PE2212 - 4M • Size: 38mm x 4M • Lashing Capacity: 500kg • Breaking Strength: 1000kg

PE2214 - 4.5M

Size: 50mm x 4.5M Lashing Capacity: 750kg Breaking Strength: 1500kg

\$54.00_(ex GST) \$62.10 (inc GST)

3 in 1 Riveter, RivNut & Reaming Tool

Code No. PE8208

This versatile multifunctional tool integrates a rivet gun that can install both pop rivets and rivnuts/nut rivets, along with a reamer/nibbler tool designed for use on stainless steel, galvanized steel, and aluminum.

\$117.30 inc

\$50.60 (inc GST)

• A 3-in-1 tool for riveting, installing rivet nuts, and reaming, featuring a 360° swivel action head for ease of one-handed operation. Includes 4 rivet heads for sizes 2.4, 3.2, 4.0 & 4.8mm Comes with 4 mandrels suitable for M3, M4, M5 & M6

RivNuts. Reaming/nibbler function works on both curved and

square edges, and is suitable for Imm stainless steel, 2mm aluminum, and 2mm galvanized steel. Features soft grip handles for enhanced comfort

and control.





Absorbent Mat - Oil (White)

Specially developed oil sorbent mat. Dimpled and perforated, single ply sorbents. Convenient and Cost-Effective

Applications:
For use where oil is involved:
- Spill response and clean up.
- Outdoor industrial applications where lint is not a concern.

Specification:

- Colour: White
- Material: 100% PP
- Absorbs up to 0.9 litres (300gsm)
 Thickness: 4mm

PE1602 - 10 Pack • Size: 500 x 400mm

\$22.00(ex GST) \$25.30 (inc GST)

\$192^{.05}(inc GST)

\$133.40 (inc GST)

PE1610 - 100pk

\$167^{.00}(ex GST) • Size: 500 x 400mm

PE1612 - 120 Sheet - Roll **\$116**^{.00}(ex GST) • Size: 400 x 250mm • Length: 30M

Portable LED Work Light

Code No. PE5406

SPECIFICATIONS

- Lumens: 2100/1050Lm
- 30W 5V-2A
- SV-2A
 Battery: 3.7V/8800MAH Li
 6000K (Cool White)
 IP54 Rated
 Mode of Light

- Fully adjustable 360°
 3.7V 8800mAh Li-ion Rechargable Battery
 1M USB Charge Port Included



\$95.45 inc

Portable LED Work Light

Code No. PE5414

SPECIFICATIONS IP65 Rated

• 30W - Fully Charged, Then 24w after 1.5 Hours

- 30W Fully Charged, Then Z4w after 1.5 Hours
 12V-2A Charger Output
 220V 240V AC 50HZ Charger Input
 USB Outlets: 5.1V 1.5A For Charging Electronics
 SAA Approved Charging Adaptor Included
 3.7V 8800mAh Li-ion Rechargeable Battery
 Battery Cell: 18650 Li-on 3.7V 2200MAH Li-Each
 Cell
- Cell
 Battery Pack: 11.1V 4400MAH Li (6 x Cells)
- Fully adjustable 360°
 Aluminium Housing With Steel Bracket & Grip Handle
 • Clear Glass Lens



Universal Welding Cart

Code No. PE6030

Easily transport your welder and welding accessories. Excellent for Mig, Tig, Arc Welders and Plasma Cutters. Extra storage shelf for a water-cooler, Welding Leads or consumables. Holds up to an F size

Sturdy Steel Construction

Ideal for Arc/Mig Welders and Gas Bottle
Top Tray - L 500 x W 320mm
Bottom Tray - L 660 x W 320mm external

Flat Packed, Assembly Required.



\$166^{.75} inc

Welders Angle Clamp Vice

Industrial 2-Axis Welders Angle Clamp Vice that allows two items of different diameter to be joined at a 90° angle. Great for quick, easy set-ups for welding or assembling projects. Slotted base holes for easy mounting. Manufactured from heavy duty cast iron with copper plated screws & spindle withstand weld spatter.

- Capacity: 60mm
 Jaw Length: 105mm
 Net Weight: 5.2kg



Switchable Magentic Welding Clamp

Magnetic clamp with an ON-OFF switch for easy use. Safe and quick to set up; ideal for round and square tube, angle and flat bar. Enclosed magnets to prevent filings and dirt from getting into the magnets.



\$79.35 inc





WORKSHOP EQUIPMENT



MIG Torch Rests



Angled anti-spatter Gel Pot

CABLE HANGER - Adjustable hanger holds cable "slack" reducing wrist fatigue. Magnetic Base: Aluminum cover on bottom for easier cleaning of fuzz. Two Pliers Parking Slots

SHMRM100 - Cable Hanger & Accessory Plate \$36.00 (ex GST) \$41.40 (inc GST)

· Height: 150mm

SHMRM200 - with Cable Hanger with Adjustable Height & Angle • Height: 180 ~ 310mm

SHMRM300 - with Cable Hanger with Adjustable Height & Angle • Height: 180 ~ 310mm

Magentic Base Grinder Holder

Code No. SHMGH4510





MagHold Extendable Arm (One Piece ONLY)

Code No. SHMHF608

Position and hold steel stock in welding and fabrication.

- rosuout and nous seen stock in welding and fabrication.

 Telescoping mounting bar adjusts from 6.4" to 9.3" in length.

 Loosen the center joint in the mounting bar to "fold up" the MagHold" for different workholding configurations.

 Adjustable magnetic v-pads at each end hold stock of different shapes: round, flat, angled.

 Max. Pull Force: 8kg

 One Piece ONLY





\$48^{.00}(ex GST) \$55^{.20}(inc GST)

\$49.00_(ex GST) \$56.35_(inc GST)

Locking Chain Plier

Code No. SHPFC1048

- Clamp odd shaped multiple items.
 Adjust tension with crank handle.
 Replaceable chain available in: 910mm (P/N: PXC36) & 1,200mm (P/N: PXC48) lengths.
- Chain Length: 1,200mm
 Holds Pipes: up to 360mm
 Weight: 1.4kg

\$62^{.10} GST





Rhino Cart

Code No. SHTDQ612075-K1

The Rhino Cart® Mobile Fixturing Station is a turnkey system for fixturing and clamping in welding and fabrication. Clamp and fixture at any point on the reversible, flat, nitrided (heat treated) $1,200 \times 750$ mm tabletop for accuracy in all of your setups.

Be ready to handle any job with the Rhino Cart® package.

Includes Mobile Welding Cart (SHTDQ612075) + 66 pc Fixturing Kit (SHTDK6100)

66 PIECE FIXTURING KIT INCLUDED















+ Fixture Ki,









Nomad Economy Welding Table

Code No. SHTS3020



The Nomad Economy Welding Table is engineered to provide a safe, transportable, affordable, and versatile welding surface.

- Three 28mm slots in the tabletop allow for
- insertion of clamps to reach any point on the table.

 Tabletop tilts to three positions: Horizontal, 30°, and folded for mobility.

 Two retractable, perpendicular steel guide rails can be used as
- Two retractable, perpendicular steel guide rails can be guides, stops, or clamping edges.
 Tabletop height can be adjusted from 660 810mm.
 Table moves about the work area on 2 sturdy casters.
 Tabletop Size: 760 x 510mm
 Table Height Range: 660 810mm
 Slot in Tabletop: 28mm
 Table Positions: 0°, 30°, Folded
 Load Capacity: 160kg
 Weight: 20kg

\$243.80 inc



Gas Cylinder Cart





The Gas Cylinder Cart allows you to safely lift, move, place and store heavy cylinders. The sliding Stainless Steel Keeper Bar holds the cylinder securely in place without the use of chains or straps.

Lift cylinders for placement on an elevated platform, such as a welding cart or pallet up to 7" high. Two 3" rear locking wheels provide easy movement + stable storage.

Rugged round steel tube welded construction for strength and durability, with powder-coated finish

Specification
Load Capacity: 181kg
For Cylinder Size: 216-229mm
Weight: 24.5kg



\$891.25 inc





240V Electric Chain Hoists

FEATURES:

- Japanese technology with dual braking system to ensure safe and reliable operation
- Compact and light weight design
- Weight overload limiter for safety
- Thermal overload motor protection
- · Single phase, 240V motor
- Upper and lower limit switches to prevent chain runout
- Chain length can be altered by ITM to your required length
 Tested & certified to AS 1418.2
- Test certificate & user manual supplied
- Replacement Chain 7.1mm TM9810-01607-1
- Chain Type Grade 80 7.1mm



FROM \$2995.18 inc

								42000 631		
Part No.	Rated Capacity	Standard Lift	Running Test Load	Motor	No. of Chain Drops	Lift Speed	Net Weight	Extra Weight per metre of Extra Length	ex GST	inc GST
TM9001-00503	0.5T	3m	6.25kN	800w 240v 1P	1	7m/min	55kg	1.1kg	\$2604 ^{.50}	\$299518
TM9001-00506	0.5T	6m	6.25kN	800w 240v 1P	1	7m/min	55kg	1.1kg	\$2771.50	\$3187 ^{.23}
TM9001-01003	1.OT	3m	12.5kN	1200w 240v 1P	1	6m/min	60kg	1.1kg	\$2752 ^{.50}	\$3165 ^{.38}
TM9001-01006	1.OT	6m	12.5kN	1200w 240v 1P	1	6m/min	60kg	1.1kg	\$3001.00	\$3451 ¹⁵
TM9001-02003	2.0T	3m	25kN	1200w 240v 1P	2	3m/min	65kg	2.2kg	\$3249.50	\$3736 ^{.93}
TM9001-02006	2.0T	6m	25kN	1200w 240v 1P	2	3m/min	65kg	2.2kg	\$3766.00	\$4330 ^{.90}
TM9001-03003	3.0T	3m	37.5kN	1200w 240v 1P	3	2m/min	73kg	3.3kg	\$4449.00	\$5116 ^{.35}
TM9001-03006	3.0T	6m	37.5kN	1200w 240v 1P	3	2m/min	73kg	3.3kg	\$5027 ^{.50}	\$5781 ^{.63}

Electric Chain Hoists

- Japanese technology with dual braking system to ensure safe and reliable
- Weight overload limiter for safety

- Dual-gear drive system providing smooth and quiet operation
 Upper and lower limit switches to prevent chain runout
 Tested & certified to AS 1418.2. Test certificate & user manual supplied

David No.	Rated	Std	Running	Motor	PR	B	
Part No.	Capacity	Lift	Test Load	Motor	ex GST	inc GST	II.
TM9003-01003	1T	ЗМ	12.5kN	1800W 415V 3P	\$3231 ^{.00}	\$3715 ^{.65}	T
TM9003-01006	1T	6M	12.5kN	1800W 415V 3P	\$3348.00	\$3850 ⁻²⁰	
TM9003-03003	3T	ЗМ	37.5kN	3000W 415V 3P	\$4783.00	\$5500 ^{.45}	
TM9003-05003	5T	ЗМ	62.5kN	3000W 415V 3P	\$5688 ^{.50}	\$6541 ^{.78}	



Lever Builder Wire Rope Hoists

• 7m Length pendant controller with Emergency Stop

	Std	Industrial	Rated	Net	Price		
Part No.	Lift			Weight	ex GST	inc GST	
TM9006-30030	30m	1600W	300kg	20.9kg	\$1267 ^{.00}	\$1457 ^{.05}	
TM9006-36060	60m	1600W	360kg	29kg	\$1312 ^{.50}	\$1509 ^{.38}	
TM9006-50030	30m	1800W	500kg	28kg	\$1455 ^{.00}	\$1673 ^{.25}	



Electric Wire Rope Hoists

Single Hook Specifications: • 12m Lift height • 10m/min Lift speed

Double Hook Specifications:

6m Lift height
5m/min Lift speed

Silvinia Like Speed				- 1		
	Single Double Net	Simula Davible			Pri	ice
Part No.	Motor	Hook	Hook	Weight	ex GST	inc GST
TM9008-00212	510W 240V	100kg Capacity	200kg Capacity	22kg	\$314 ^{.50}	\$361 ⁶⁸
TM9008-00512	1000W 240V	250kg Capacity	500kg Capacity	36kg	\$407 ^{.00}	\$468 ^{.05}





Features:

3m Standard lift

360° Rotation on hand chain

Lightweight aluminium construction

Compact & portable design

Tested & Certified To AS1418.2

ITM Lever Hoists

					<u> </u>)
2.1	Rated		Net	Pri	ice	
Part No.	Capacity		Weight	ex GST	inc GST	1
TM9026-00203	250kg	3.2mm Grade 100 Chain	2.5kg	\$274 ^{.50}	\$315 ^{.68}	
TM9026-00503	500kg	4.3mm Grade 100 Chain	4.5kg	\$301.00	\$346.15	
TM9026-01003	1000kg	4.3mm Grade 100 Chain	8.5kg	\$365 ^{.00}	\$419 ^{.75}	



LIFTING, RIGGING & LOAD RESTRAINT



Heavy Duty Chain Block Lifts

- Colour coded to W.L.L. for safety
- Load limited protection system
 Automatic double pawl braking system
 Hooks fitted with spring safety latches

- Grade 80 chain
 Tested & certified to AS 1418.2
 Test certificate supplied



PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRI	CE
PART NO.	W.E.E. SALASITI	STANDARD LIFT	ex GST in \$191°° \$ \$242.50 \$ \$227.00 \$ \$2265.00 \$ \$329.00 \$ \$370.00 \$ \$437.50 \$ \$426.00 \$ \$	inc GST
TM9020-00202	250kg (Grey)	2 Metre	\$191 ^{.00}	\$219 ^{.65}
TM9022-00503	500kg (White)	3 Metre	\$242 ^{.50}	\$278 ^{.88}
TM9022-00506	500kg (White)	6 Metre	\$297 ^{.00}	\$341.55
TM9022-01003	1000kg (Violet)	3 Metre	\$265 ^{.00}	\$304 ^{.75}
TM9022-01006	1000kg (Violet)	6 Metre	\$329 ^{.00}	\$378 ^{.35}
TM9022-02003	2000kg (Green)	3 Metre	\$370 ^{.00}	\$425 ^{.50}
TM9022-02006	2000kg (Green)	6 Metre	\$437 ^{.50}	\$503 ^{.13}
TM9022-03003	3000kg (Yellow)	3 Metre	\$426 ^{.00}	\$489 ^{.90}
TM9022-03006	3000kg (Yellow)	6 Metre	\$565 ^{.50}	\$650 ^{.33}
TM9022-05003	5000kg (Red)	3 Metre	\$660 ^{.00}	\$759 ^{.00}
TM9022-05006	5000kg (Red)	6 Metre	\$ 798 .50	\$918 ²⁸



PART NO.	W.L.L. CAPACITY	BEAM WIDTH	PRI	CE
PART NO.	W.L.L. CAPACITY	DEAM WIDTH	ex GST	inc GST
TM9100-00500	500kg (White)	64-152mm	\$145 ^{.00}	\$166 ^{.75}
TM9100-01000	1000kg (Violet)	64-203mm	\$196 ^{.50}	\$225 ^{.98}
TM9100-02000	2000kg (Green)	88-203mm	\$267 .00	\$307.05
TM9100-03000	3000kg (Yellow)	100-305mm	\$416 ^{.00}	\$478 ^{.40}
TM9100-05000	5000kg (Red)	114-305mm	\$582 ^{.00}	\$669 ^{.30}

ITM Lever Hoists

- 1.5m standard lift
 Colour coded to W.L.L. for safety
- Load limited protection system
 Automatic double pawl braking system
 Hooks fitted with spring safety latches
- Grade 80 chain
 Tested & certified to AS 1418.2
- Test certificate supplied



		[51] W. [51]		
PART NO.	W.L.L. CAPACITY	STANDARD LIFT	ex GST inc GST \$189°° \$217³¹ \$239°° \$274³¹ \$269°° \$309³¹ \$324⁵° \$373³¹	ICE
PART NO.	W.L.L. CAPACITY	STANDARD LIFT		inc GST
TM9040-00201	250kg (Grey)	1.5 Metre	\$189 ^{.00}	\$217 ^{.35}
TM9040-00501	500kg (White)	1.5 Metre	\$239 ^{.00}	\$274 ^{.85}
TM9042-00701	750kg (White)	1.5 Metre	\$269 ^{.00}	\$309.35
TM9042-01501	1500kg (Violet)	1.5 Metre	\$324 .50	\$373.18
TM9042-03001	3000kg (Yellow)	1.5 Metre	\$471 ^{.50}	\$542 ^{.23}
TM9042-06001	6000kg (Brown)	1.5 Metre	\$710 ^{.00}	\$816 ^{.50}
TM9042-09001	9000kg (Orange)	1.5 Metre	\$1109 ^{.00}	\$1275 ^{.35}



Geared Girder Trolleys



FROM \$274.85 inc

PART NO.	W.L.L. CAPACITY	DE ANA MUDTI I	PRICE	
PART NO.	W.L.L. CAPACITY	BEAM WIDTH	ex GST	inc GST
TM9102-01000	1000kg (Violet)	64-152mm	\$239 ^{.00}	\$274 ^{.85}
TM9102-02000	2000kg (Green)	88-203mm	\$313 ^{.50}	\$360 ^{.53}
TM9102-03000	3000kg (Yellow)	88-203mm	\$471 ^{.50}	\$542 ^{.23}
TM9102-05000	5000kg (Red)	100-305mm	\$643 ^{.50}	\$740 ^{.03}
TM9102-10000	10000kg (Orange)	114-305mm	\$1603 ^{.00}	\$1843 ^{.45}

ITM Beam Clamps

- Durable all steel construction
- Colour coded to W.L.L. for safety
 Tested & certified to AS 4991

FROM



PART NO.	W.L.L. CAPACITY	DEAMANADTH	PRI	CE
PART NO.	W.L.L. CAPACITY	BEAM WIDTH	ex GST	inc GST
TM9121-01023	1000kg (Violet)	75-230mm	\$128 ^{.00}	\$147 ^{.20}
TM9121-02023	2000kg (Green)	75-230mm	\$143 ^{.50}	\$165 ^{.03}
TM9121-03032	3000kg (Yellow)	80-320mm	\$245 ^{.00}	\$281 ⁷⁵
TM9121-05032	5000kg (Red)	90-320mm	\$274 ^{.00}	\$315.10
TM9121-10032	10000kg (Orange)	90-320mm	\$450.00	\$ 517 .50

PART NO. TM9122-00815

TM9122-01620

TM9122-02025

TM9122-03230

TM9122-05050

Vertical Lifting Clamps

• Suitable for vertical lifting of steel plates, beams & structures

Locking device fitted for both open & closed positions

800kg (White)

1600kg (Violet)

2000kg (Green)

3200kg (Yellow)

5000kg (Red)

• Tested & certified to AS 4991



50mm

T	\$131 ^{.68} inc	A
OPENING	PR	RICE
OPENING	ex GST	inc GST
15mm	\$114 .50	\$131 ^{.68}
20mm	\$198 ^{.50}	\$228 ^{.28}
25mm	\$240 ^{.50}	\$276 ^{.58}
20mm	\$206.00	\$442.90





1000kg Rated Capacity

• Violet colour coded to W.L.L. for safety • 0.5m to 10m lengths available

PART NO.	LENGTH	ex GST	inc GST
TM9160-01005	0.5M	\$ 5 .00	\$5 ⁷⁵
TM9160-01010	1M	\$7 .50	\$8 .63
TM9160-01015	1.5M	\$9 .50	\$10 ^{.93}
TM9160-01020	2M	\$12 ^{.00}	\$13 ^{.80}
TM9160-01025	2.5M	\$14 .50	\$16 ^{.68}
TM9160-01030	3M	\$16 ^{.50}	\$18 ^{.98}
TM9160-01040	4M	\$19 ^{.00}	\$21 ^{.85}
TM9160-01050	5M	\$26 ^{.50}	\$30.48
TM9160-01060	6M	\$32 ^{.00}	\$36 ^{.80}
TM9160-01080	8M	\$38.00	\$43.70
TM9160-01100	10M	\$47 .00	\$54 ^{.05}





2000kg Rated Capacity

Green colour coded to W.L.L. for safety
 1.0m to 10m lengths available

PART NO.	LENGTH	ex GST	inc GST
TM9160-02010	1M	\$13 ^{.50}	\$15 ^{.53}
TM9160-02015	1.5M	\$18 ^{.00}	\$20 ^{.70}
TM9160-02020	2M	\$22 ^{.00}	\$25 ^{.30}
TM9160-02025	2.5M	\$26 ^{.50}	\$30.48
TM9160-02030	ЗМ	\$28 ^{.00}	\$32 ^{.20}
TM9160-02040	4M	\$36.00	\$41 ^{.40}
TM9160-02050	5M	\$48.00	\$55 ^{.20}
TM9160-02060	6M	\$ 52 .00	\$59 ^{.80}
TM9160-02080	8M	\$75.00	\$86 ^{.25}
TM9160-02100	10M	\$90 ^{.50}	\$104 ^{.08}



FROM \$15.53 inc



ITM 3000kg Rated Capacity

· Yellow colour coded to W.L.L. for safety Lengths available 1 - 12m

PART NO.	LENGTH	ex GST	inc GST
TM9160-03010	1M	\$18 ^{.50}	\$21 ^{.28}
TM9160-03015	1.5M	\$26 ^{.50}	\$30.48
TM9160-03020	2M	\$29 ^{.50}	\$33 ^{.93}
TM9160-03025	2.5M	\$39.50	\$45.43
TM9160-03030	ЗМ	\$42.00	\$48.30
TM9160-03040	4M	\$54 ^{.00}	\$62 ^{:10}
TM9160-03050	5M	\$ 70 .00	\$80.50
TM9160-03060	6M	\$78 ^{.50}	\$90 ^{.28}
TM9160-03080	8M	\$111 ^{.00}	\$127 ^{.65}
TM9160-03100	10M	\$133 ^{.00}	\$152 ^{.95}
TM9160-03120	12M	\$157 ^{.50}	\$181 ¹³



FROM \$21.28 inc

4000kg Rated Capacity

• Grey	COloui	codec	ı to	VV.L.L.	10
 Leng 	ths ava	ilable :	2 - 1	l2m	

The Street of			
inc GST	ex GST	LENGTH	PART NO.
\$50 ^{.03}	\$43 ^{.50}	2M	TM9160-04020
\$60 ^{.95}	\$53 ^{.00}	2.5M	TM9160-04025
\$74 .75	\$65 ^{.00}	ЗМ	TM9160-04030
\$89.13	\$77 .50	4M	TM9160-04040
\$108.68	\$94 .50	5M	TM9160-04050
\$125 ^{.35}	\$109 ^{.00}	6M	TM9160-04060
\$173 ^{.65}	\$151 ^{.00}	8M	TM9160-04080
\$208 ^{.73}	\$181 ^{.50}	10M	TM9160-04100
\$257.60	\$224.00	12M	TM9160-04120

FROM \$50.03 inc



5000kg Rated Capacity

Red colour coded to W.L.L. for safety
Lengths available 2 - 12m





FROM \$60^{.95} inc

6000kg Rated Capacity

• Brown colour coded to W.L.L. for safety • Lengths available 2 - 12m

			4
PART NO.	LENGTH	ex GST	inc GST
TM9160-06020	2M	\$78 ^{.50}	\$90 ⁻²⁸
TM9160-06025	2.5M	\$93.00	\$106 ^{.95}
TM9160-06030	ЗМ	\$106 ^{.50}	\$122 ^{.48}
TM9160-06040	4M	\$133 ^{.00}	\$152 ^{.95}
TM9160-06050	5M	\$157 ^{.50}	\$181 ^{.13}
TM9160-06060	6M	\$187 ^{.50}	\$215 ^{.63}
TM9160-06080	8M	\$241.00	\$277.15
TM9160-06100	10M	\$301.50	\$346.73
TM0160 06120	1214	\$250.00	\$402.50





8000kg Rated Capacity



PART NO.	LENGTH	ex GST	inc GST
TM9160-08030	ЗМ	\$169 ^{.50}	\$194 ^{.93}
TM9160-08040	4M	\$212 ^{.00}	\$243 ^{.80}
TM9160-08050	5M	\$241 ^{.00}	\$277 ^{:15}
TM9160-08060	6M	\$290.50	\$334.08
TM9160-08080	8M	\$375 ^{.50}	\$431 ^{.83}
TM9160-08100	10M	\$447 .50	\$514 ^{.63}
TM9160-08120	12M	\$535 ^{.50}	\$615.83

FROM \$194^{.93} GST

WLL 8000P



10,000kg Rated Capacity

Orange colour coded to W.L.L. for safety
 Lengths available 4 - 12m





FROM \$277.15 inc

\$90^{.28} inc

ROUND WEB LIFTING SLINGS



1000kg Rated Capacity

PART NO.	LENGTH	ex GST	inc GST
TM9162-01005	0.5M	\$6 .00	\$6 .90
TM9162-01010	1M	\$8 .50	\$9 .78
TM9162-01015	1.5M	\$12 ^{.00}	\$13 ^{.80}
TM9162-01020	2M	\$16 ^{.00}	\$18 ^{.40}
TM9162-01025	2.5M	\$19 ^{.50}	\$22 ^{.43}
TM9162-01030	ЗМ	\$20.00	\$23.00
TM9162-01035	3.5M	\$25 ^{.00}	\$28 ^{.75}
TM9162-01040	4M	\$25 ^{.50}	\$29 ^{.33}
TM9162-01050	5M	\$34.50	\$39.68
TM9162-01060	6M	\$41 .50	\$47 ^{.73}
TM9162-01080	8M	\$55 ^{.50}	\$63 ^{.83}
TM9162-01100	10M	\$69 ^{.50}	\$79 ^{.93}



• Violet colour coded to W.L.L. for safety • Lengths available 0.5 - 10m





2000kg Rated Capacity

\$8.63 \$14.95 \$19.55
\$10.55
13
\$24 ^{.15}
\$31 ^{.63}
\$34.50
\$45.43
\$60 ^{.95}
\$ 72 .45
\$104.65
\$128 ^{.23}




· Green colour coded to W.L.L. for safety • Lengths available 0.5 - 10m

> **FROM** \$8.63 inc



3000kg Rated Capacity

PART NO.	LENGTH	ex GST	inc GST
TM9162-03010	1M	\$17 ^{.00}	\$19 ^{.55}
TM9162-03015	1.5M	\$24 ^{.50}	\$28.18
TM9162-03020	2M	\$27 .50	\$31 ^{.63}
TM9162-03025	2.5M	\$38.00	\$43.70
TM9162-03030	3M	\$40 ^{.50}	\$46 ^{.58}
TM9162-03040	4M	\$ 54 .00	\$62.10
TM9162-03050	5M	\$73 ^{.50}	\$84 ^{.53}
TM9162-03060	6M	\$79.00	\$90.85
TM9162-03080	8M	\$118 ^{.00}	\$135 ^{.70}
TM9162-03100	10M	\$145 ^{.50}	\$167 ^{.33}



Yellow colour coded to W.L.L. for safety
 Lengths available 1 - 10m



FROM

\$30^{.48} inc



4000kg Rated Capacity

PART NO.	LENGTH	ex GST	inc GST
TM9162-04010	1M	\$21 ^{.50}	\$24 ^{.73}
TM9162-04015	1.5M	\$31 ^{.50}	\$36.23
TM9162-04020	2M	\$40 ^{.50}	\$46.58
TM9162-04025	2.5M	\$53 ^{.00}	\$60 ^{.95}
TM9162-04030	ЗМ	\$57 ^{.00}	\$65 ^{.55}
TM9162-04040	4M	\$ 73 .00	\$83 ^{.95}
TM9162-04050	5M	\$95.00	\$109 ^{.25}
TM9162-04060	6M	\$114.00	\$131 ¹⁰
TM9162-04080	8M	\$158 ^{.50}	\$182 ^{.28}
TM9162-04100	10M	\$201.50	\$231 ^{.73}



Grey colour coded to W.L.L. for safety
 Lengths available 1 - 10m





ITM 5000kg Rated Capacity

PART NO.	LENGTH	ex GST	inc GST
TM9162-05010	1M	\$26 ^{.50}	\$30.48
TM9162-05015	1.5M	\$38 ^{.00}	\$43 ^{.70}
TM9162-05020	2M	\$49 ^{.50}	\$56 ^{.93}
TM9162-05025	2.5M	\$60 ^{.50}	\$69 ^{.58}
TM9162-05030	ЗМ	\$ 69 .50	\$79 ^{.93}
TM9162-05040	4M	\$91.00	\$104 ^{.65}
TM9162-05050	5M	\$114 ^{.00}	\$131 ^{.10}
TM9162-05060	6M	\$133 ^{.00}	\$152 ^{.95}
TM9162-05080	8M	\$196 ^{.50}	\$225 ^{.98}
TM9162-05100	10M	\$241.00	\$277:15



• Red colour coded to W.L.L. for safety • Lengths available 1 - 10m



6000kg Rated Capacity

PART NO.	LENGTH	ex GST	inc GST
TM9162-06010	1M	\$30.00	\$34.50
TM9162-06020	2M	\$ 57 .00	\$65 ^{.55}
TM9162-06030	ЗМ	\$82 ^{.50}	\$94 ^{.88}
TM9162-06040	4M	\$104.00	\$119. ⁶⁰
TM9162-06050	5M	\$133.00	\$152 ^{.95}
TM9162-06060	6M	\$152 ^{.00}	\$174 ^{.80}
TM9162-06080	8M	\$230.00	\$264 ^{.50}
TM9162-06100	10M	\$293.00	\$336.95



• Brown colour coded to W.L.L. for safety

Lengths available 1 - 10m

FROM \$34^{.50} inc



ITM 8000kg Rated Capacity





· Lengths available 1 - 12m

FROM \$40^{.83} inc GST



10,000kg Rated Capacity

PART NO.	LENGTH	ex GST	inc GST
TM9162-10010	1M	\$46 ^{.50}	\$53 ^{.48}
TM9162-10020	2M	\$109.00	\$125 ^{.35}
TM9162-10030	ЗМ	\$133 ^{.50}	\$153 ^{.53}
TM9162-10040	4M	\$171 ^{.50}	\$197 ^{.23}
TM9162-10050	5M	\$214 ^{.50}	\$246.68
TM9162-10060	6M	\$253.50	\$291.53
TM9162-10080	8M	\$339.50	\$390.43
TM9162-10100	10M	\$423.50	\$487 ^{.03}
TM9162-10120	12M	\$522.00	\$600.30



• Orange colour coded to W.L.L. for safety • Lengths available 1 - 12m

FROM \$53.48 inc GST



1 Leg Chain Slings

1 LEG 8MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. DIRECT LOAD	ex GST	inc GST
TM9801-08010	1M	2T	\$139 ^{.00}	\$159 ^{.85}
TM9801-08020	2M	2T	\$169 ^{.00}	\$194 ^{.35}
TM9801-08030	ЗМ	2T	\$189 ^{.00}	\$217 ^{.35}
TM9801-08060	6M	2T	\$269 ^{.00}	\$309.35

1 LEG 10MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. DIRECT LOAD	ex GST	inc GST
TM9801-10010	1M	3.2T	\$199 ^{.00}	\$228 ^{.85}
TM9801-10020	2M	3.2T	\$259 ^{.00}	\$297 ^{.85}
TM9801-10030	3M	3.2T	\$289.00	\$332.35
TM9801-10060	6M	3.2T	\$419 ^{.00}	\$481 ^{.85}

1 LEG 13MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. DIRECT LOAD	ex GST	inc GST
TM9801-13010	1M	5.3T	\$359.00	\$412 ^{.85}
TM9801-13020	2M	5.3T	\$419 ^{.00}	\$481 ^{.85}
TM9801-13030	ЗМ	5.3T	\$489.00	\$562 ^{.35}
TM9801-13060	6M	5.3T	\$689.00	\$792 ^{.35}

Grade 80 lifting chain & fittings
 Includes shortening grab hook & clevis sling hook with safety latch
 Tested and certified to AS 3775.1
 Test tag supplied with every chain sling

Features for G80 Components

- Premium-grade heat treated alloy steel
- · Specifications, batch and brand markings as per AS requirements

G80 Clevis Self Locking Hook

inc GST \$63^{.25}

\$71^{.88}

\$112^{:13}

\$205.28

\$432^{.91}

\$673^{.90}

\$914.83

\$1573^{.20}

ex GST

\$62^{.5}

\$97.50

\$178.50

\$376.5

\$1368.00

Tested and certified to AS 3776

W.L.L.

1.12T 2T

3.15T

5.3T

8T

12.5T

15T

21.2T

6mm

7-8mm

13mm

16mm

20mm

26mm



G80 Clevis Choker Hook

PART NO.	CHAIN SIZE	W.L.L.	ex GST	inc GST
TM9804-03807	7-8mm	2T	\$22 ^{.50}	\$25 ^{.88}
TM9804-03810	10mm	3.15T	\$43.50	\$50 ^{.03}
TM9804-03813	13mm	5.3T	\$83.00	\$95 ^{.45}





PART NO.

TM9804-02806

TM9804-02807

TM9804-02810

TM9804-02813

TM9804-02816

TM9804-02820

TM9804-02822

TM9804-02826

G80 Eye Swivel Self Locking Hook with Ball Bearing

PART NO.	CHAIN SIZE	W.L.L.	ex GST	inc GST
TM9804-03206	6mm	1.12T	\$77.00	\$88 ^{.55}
TM9804-03207	7-8mm	2T	\$95 ^{.00}	\$109 ^{.25}
TM9804-03210	10mm	3.15T	\$196 ^{.50}	\$225 ^{.98}
TM9804-03213	13mm	5.3T	\$368 ^{.00}	\$423 ^{.20}
TM9804-03216	16mm	8T	\$ 723 .00	\$831 ^{.45}
TM9804-03220	20mm	12.5T	\$1332 ^{.50}	\$1532 ^{.38}



ITM Tumbuckle Galvanised Commercial Eye

M24PART NO.	THREAD	TEST LOAD	WEIGHT	ex GST	inc GST
TM9230-01060	M6	1T	0.095kg	\$ 5 .50	\$6 ^{.33}
TM9230-01080	M8	1.2T	0.155kg	\$6 .50	\$ 7 .48
TM9230-01100	M10	1.5T	0.25kg	\$7 .50	\$8 ^{.63}
TM9230-01120	M12	2T	0.49kg	\$10 ^{.50}	\$12 ^{.08}
TM9230-01160	M16	3T	0.92kg	\$16 ^{.00}	\$18 ^{.40}
TM9230-01200	M20	4T	1.6kg	\$26 ^{.00}	\$29 ^{.90}
TM9230-01240	M24	6T	3.18kg	\$51 ^{.00}	\$58 ^{.65}



2 Leg Chain Slings

2 LEG 6MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST
TM9802-06020	2M	1.1T	\$209.00	\$240.35

2 LEG 8MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST
TM9802-08010	1m	2T	\$255.00	\$293 ^{.25}
TM9802-08020	2m	2T	\$319 ^{.00}	\$366 ^{.85}
TM9802-08030	3m	2T	\$359.00	\$412 ^{.85}
TM9802-08040	4m	2T	\$419 ^{.00}	\$481 ^{.85}
TM9801-08060	6m	2T	\$519.00	\$596 ^{.85}
TM9801-08100	10m	2T	\$739.00	\$849.85

2 LEG 10MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST
TM9802-10010	1m	3.2T	\$399.00	\$458 ^{.85}
TM9802-10020	2m	3.2T	\$489.00	\$562 ^{.35}
TM9802-10030	3m	3.2T	\$569 ^{.00}	\$654 ^{.35}
TM9802-10040	4m	3.2T	\$649.00	\$746 ^{.35}
TM9802-10060	6m	3.2T	\$799.00	\$918 ^{.85}

2 LEG 13MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST
TM9802-13010	1m	5.3T	\$599.00	\$688 ^{.85}
TM9802-13020	2m	5.3T	\$719 ^{.00}	\$826 ^{.85}
TM9802-13030	3m	5.3T	\$829 ^{.00}	\$953 ^{.35}
TM9802-13040	4m	5.3T	\$959.00	\$1102 ^{.85}
TM9802-13060	6m	5.3T	\$1299 ^{.00}	\$1493 ^{.85}
TM9802-13080	8m	5.3T	\$1555.00	\$1788 ^{.25}

Grade 80 lifting chain & fittings
Includes shortening grab hook & clevis sling hook with safety latch
Tested and certified to AS 3775.1
Test tag supplied with every chain sling



G80 Master Link Multi Leg Oblong Recessed Enlarged

DUSTRIAL PRODUCTS -				
PART NO.	CHAIN SIZE	W.L.L.	ex GST	inc GST
TM9804-00607	7mm	3.15T	\$34 ^{.50}	\$39 ^{.68}
TM9804-00608	8mm	4.25T	\$62 ^{.00}	\$71 ^{.30}
TM9804-00610	10mm	6.7T	\$ 90 .50	\$104.08
TM9804-00613	13mm	11.2T	\$160 ^{.50}	\$184 ^{.58}
TM9804-00616	16mm	17T	\$263 ^{.50}	\$303.03
TM9804-00620	20mm	26.5T	\$860 ^{.00}	\$989.00
TM9804-00622	22mm	31.5T	\$1123 ^{.00}	\$1291 ^{.45}
TM9804-00626	26mm	45T	\$2331 ^{.50}	\$2681 ^{.23}





G80 Lifting Chain Black Tempered

- Premium-grade heat treated alloy steel
 Marked with chain grade and traceability mark
 Safety factor 4:1
 Tested and certified to AS 2321
 Sold per metre

PART NO.	Nominal Size	W.L.L.	ex GST	inc GST
TM9806-01106	6mm	1.1T	\$12 ^{.00}	\$13 ^{.80}
TM9806-01507	7mm	1.5T	\$15 ^{.50}	\$17 ^{.83}
TM9806-02008	8mm	2T	\$19 ^{.00}	\$21 ^{.85}
TM9806-03210	10mm	3.2T	\$29 ^{.00}	\$33 ^{.35}
TM9806-05313	13mm	13mm 5T \$50 ⁵⁰		\$58 ^{.08}
TM9806-08016	16mm	8T	\$78 ^{.00}	\$89.70
TM9806-12520	20mm	12.5T	\$134 ^{.50}	\$154 ^{.68}
TM9806-15022	22mm	15.3T	\$171 ^{.00}	\$196 ^{.65}
TM9806-21226	26mm	21.3T	\$326.00	\$374.90
TM9806-31532	32mm	32.2T	\$538 ^{.00}	\$618 ^{.70}



\$144.90_(inc GST)

\$159^{.85}(inc GST)

\$189.75 (inc GST)

\$85.10 (inc GST)

\$127.65_(inc GST)

Enoma Parallel Jaw Clamp

Code No. EC-PJ60

FEATURES:

The large clamping area and parallel jaws allow secure even clamping of the work piece and prevent damage.

Anti-slip system prevents the lower rail slipping or un-clamping. Can be used as a spreader

SPECIFICATIONS:

- Span x Depth: 160 x 80mm Spreading: 172-270mm Rail Size: 20 x 5mm
- Clamping Force: 200kg
 Weight: 0.9kg

Ehoma Premium Woodworkers Parallel Jaw Clamps



00

- The large clamping area and parallel jaws allow secure & even clamping of the work piece and prevents damage.
 Anti-slip system prevents the lower rail slipping or un-clamping.
 Workpiece platform prevents direct contact between the workpiece and
- Replaceable pressure caps protect delicate surfaces and are resistant glue, paint and grease solvents.
 Can be used as a spreader.
 Large 29 x 9mm rail size

\$126.00_(ex GST)

\$139.00_(ex GST)

\$165.00_(ex GST)

EC-PJH060

- Span x Depth: 600 x 125mm Spreading: 245-735mm
- Clamping Force: 710kgWeight: 2.57kg
- EC-PJH080
- Span x Depth: 800 x 125mm
- Span's Depth. 800 x 125
 Spreading: 245-935mm
 Clamping Force: 710kg
 Weight: 2.93kg

EC-PJH125

- Span x Depth: 1250 x 125mm
 Spreading: 245-1385mm
 Clamping Force: 710kg
 Weight: 3.73kg

Ehoma Ratchet Clamps



FFATURES

The comfortable non-slip handle makes it easier to achieve maximum clamping pressure.

The innovative ratchet system allows faster clamping in

4.00

\$85.10 inc

\$251.85_(inc GST)

- restricted working areas.

 Bi-directional ratcheting and free spin.
- EC-G30R \$147^{.00}(ex GST)
- Span x Depth: 300 x 140mm Rail Size: 25 x 12mm Clamping Force: 670kg
- \$190^{.00}(ex GST) \$218.50_(inc GST) EC-G40R
- Span x Depth: 400 x 175mm Rail Size: 27 x 13mm Clamping Force: 700kg
- EC-G60R \$219.00_(ex GST)
- Span x Depth: 600 x 175mm Rail Size: 27 x 13mm Clamping Force: 700kg

Ehoma General Duty C Clamps



FFATURES:

- Swivel pad ensures even pressure is applied on angular workpieces.
 Tempered and hot forged steel for rigidity.
 Cold drawn profiled steel. Precisely controlled hardening and tempering
- process over the whole clamp body gives strength for high clamping

\$74.00_(ex GST)

Clamping Force: 900kg

\$76.00_(ex GST)
• Clamping Force: 850kg

\$87.00_(ex GST)

 Clamping Force: 1000kg \$111.00_(ex GST)

Clamping Force: 1000kg

Nickel and chrome plating for high corrosion resistance.

ECBC-4 Span x Depth: 100 x 50mm

Span x Depth: 125 x 65mm

FCBC-6 • Span x Depth: 150 x 75mm

ECBC-8

Span x Depth: 200 x 100mm

Span x Depth: 250 x 115mm

ECBC-12 • Span x Depth: 300 x 125mm

ECBC-14

Span x Depth: 350 x 150mm

- Span x Depth: 400 x 175mm

\$138^{.00}(ex GST) Clamping Force: 1200kg

- **\$201**.00 (ex GST)

 Clamping Force: 1500kg
- \$245.00_(ex GST) \$281.75 (inc GST)

- Clamping Force: 1800kg
- \$305^{.00}(ex GST) \$350^{.75}(inc GST)
- Clamping Force: 2000kg

Ehoma Heavy Duty C Clamp



- Larger Rail Sizes & Acme Spindle For Heavy Duty Applications.
 Swivel pad ensures even pressure is applied on angular workpieces.

SPECIFICATIONS:

- Span: 200mmDepth: 90mm
- Rail Size: 30 x 15mm
 Clamping Force: 2200kg

Ehoma Bar Clamp & Spreader



\$99^{.00}(ex GST) \$113.85_(inc GST) • Span x Depth: 150 x 95mm • Spreading Capacity: 170 - 355mm

\$102^{.00}(ex GST)

EC-TC12 \$102 • Span x Depth: 300 x 95mm • Spreading Capacity: 170 - 515mm

\$115^{.00}(ex GST) \$132^{.25}(inc GST) • Span x Depth: 600 x 95mm • Spreading Capacity: 170 - 815mm

EC-TC36 \$125.00_(ex GST)

• Span x Depth: 900 x 95mm • Spreading Capacity: 170 - 1115mm

\$117^{.30}(inc GST)

\$143.75 (inc GST)



Holemaker Pro35 18V Cordless Magnetic Base Drill

Code No. HMPRO35-18VK1



Includes 14, 18, 22mm cutters & pilot pin





FEATURES

Cordless, Compact & Lightweight European Made Machine

All of the features of the standard Pro 35 machine, with the addition of 18V battery powered operation

18V Brushless motor technology

CAS Battery platform

Lightweight & compact, ideal for onsite & overhead tasks

Unique dual rail slide system increases machine rigidity and improves cutter life

Light weight, only 11kg

Perfect combination of spindle speeds and torque reduces cycle times for both T.C.T. and H.S.S. cutters

Large capacity coolant tank

Smatt control systems for excellent performance and operator's safety. Large capacity coolant tank
 Smart control systems for excellent performance and operator's safety
 Smart magnet technology to ensure sufficient magnetic adhesion
 Visual monitoring system
 Integrated cutter guard for increased user safety
 4AH 18V Battery included
 Charge is test and a

Charger included
 Package includes 14, 18, 22mm cutters & pilot pin

SPECIFICATIONS

SPECIFICATIONS

Capacity (Diameter): 35mm

Capacity (Weldon Shank Twist Drills): 12mm

Input Power: 18V

Weight: 11.0kg

Stroke: 70mm

Capacity (Depth): 52mm

Motor Power: 450 Watt

Speed: 260rpm

Magnetic Dead Lift: 8000Nm on 25mm Steel Plate

Height: 327mm min / 372mm max

Input Power: 189
 Weight: 11,0kg
 Weight: 11,0kg
 Stroke: 70mm
 Through Spindle Coolant System
 Smart Magnet Technology to Ensure Sufficient Magnetic Adhesion
 Supplied In Plastic Carry Case with Cutter Guard & Safety Strap

Holemaker Pro36AD Magnetic Base Angle Drill

Code No. HMPRO36AD



FEATURES

FEATURES

Ultra-low profile mag drill of 176mm height only
Extremely low weight of just 9.5kg
Milling capacity up to 36mm
Accepts also twist drills with 19.05mm Weldon shank.
Stroke - 39mm.
Integrated swarf guard.
Detachable feed lever (feat. ratchet) can be fixed from either side.
Lifting handle for easy transportation.

 Cooling with a bottle SPECIFICATIONS

Capacity (Diameter): 36mm
 Capacity (Depth): 30mm
 Capacity (Twist Drill): 12mm
 Motor Power: 920 watt

• Input Power: 1000 watt Single Phase 240V

Speed: 370rpm
 Weight: 9.5kg
 Magnetic Dead Lift: 8900Nm On 25mm Steel Plate

Stroke: 39mm
Height: 176mm Constant Working Height

Through Spindle Coolant Working Reight
 Through Spindle Coolant System
 Smart Magnet Technology To Ensure Sufficient Magnetic Adhesion
 Comes complete in plastic carry case

Holemaker Pro42 Magentic Drill

Code No. HMPRO42K1



BONUS

5 PIECE ANNULAR CUTTER SET



• 16 x 25mm

• 18 x 25mm

• 22 x 25mm

• 14 x 25mm

• 20 x 25mm

SPECIFICATIONS

SPECIFICATIONS

Capacity (Diameter): 42mm

Capacity (Deptth): 52mm

Capacity (Twist Drills): 10mm (Jobber Drills)

Capacity (Twist Drills): 13mm (Stub Drills)

Capacity (Twist Drills): 13mm (Weldon Shank Drills)

Motor Power: 1020 Watt

Input Power: 1100 Watt Single Phase 240V

Speed: 440rpm

Weight: 12.5kg

Magnetic Dead Lift: 9,900Nm On 25mm Steel Plate

Stroke: 165mm

Height (Min. / Max.): 346 / 511mm

\$2133^{.25} inc

Holemaker Pro65 Magentic Base Drill

Code No. HMPRO65



The Holemaker Pro65 is designed to deliver exceptional value for money and return on investment, for both the machine and annular cutters. Every aspect of this machine has been designed to give zero lateral movement of the Annular Cutter, and constant RPM, meaning this machine will give massively increased cutter life - A very important factor for any high volume steel fabrication workshop.

• European made machine

• New 1600 watt Italian motor

Dual rail slide system increases machine rigidity and cutter life
 Through cutter coolant system
 Feed handles can be placed on both sides

Supplied in a blow mould carry case

SPECIFICATIONS

Capacity (Diameter): 65mm

Capacity (Depth): 75mm

3/4" Weldon shank tool holder

1600 Watt 240V Motor

2 Speed gearbox (160 / 390rpm)

Lightweight, only 17kg

11000Nm Magnetic dead lift on 25mm steel plate

95mm Stroke

95mm Stroke
 Height 418mm min / 513mm max

\$3513.25 inc





Part No.	Hole Diameter	Depth of Cut	Pri ex GST	ice inc GST	Part No.	Hole Diameter	Depth of Cut	Pr ex GST	ice inc GST			
AS1225	12mm	25mm	\$36 ^{.00}	\$41 ^{.40}	AS1250	12mm	50mm	\$46 ^{.50}	\$53 ^{.48}			
AS1325	13mm	25mm	\$36 ^{.00}	\$41 .40	AS1350	13mm	50mm	\$46.50	\$53 ^{.48}			
AS1425	14mm	25mm	\$36 ^{.00}	\$41 ^{.40}	AS1450	14mm	50mm	\$48 ^{.50}	\$55 ^{.78}			
AS1525	15mm	25mm	\$38 ^{.50}	\$44.28	AS1550	15mm	50mm	\$50.00	\$ 57 .50			
AS1625	16mm	25mm	\$39 ^{.50}	\$45.43	AS1650	16mm	50mm	\$50 ^{.00}	\$57 ^{.50}			
AS1725	17mm	25mm	\$41 ^{.50}	\$47 ^{.73}	AS1750	17mm	50mm	\$53 ^{.00}	\$60 ^{.95}			
AS1825	18mm	25mm	\$41 .50	\$4 7 .73	AS1850	18mm	50mm	\$55 ^{.50}	\$63.83			
AS1925	19mm	25mm	\$44 .50	\$51 ^{.18}	AS1950	19mm	50mm	\$ 58 .50	\$67 ^{.28}			
AS2025	20mm	25mm	\$45 ^{.00}	\$51 ^{.75}	AS2050	20mm	50mm	\$64 ^{.00}	\$73 ^{.60}			
AS2125	21mm	25mm	\$48 ^{.50}	\$55 ^{.78}	AS2150	21mm	50mm	\$66 ^{.50}	\$76 .48			
AS2225	22mm	25mm	\$ 50 .00	\$ 57 .50	AS2250	22mm	50mm	\$ 70 .00	\$80.50			
AS2325	23mm	25mm	\$55 ^{.50}	\$63 ^{.83}	AS2350	23mm	50mm	\$73 ^{.50}	\$84 ^{.53}			
AS2425	24mm	25mm	\$55 ^{.50}	\$63 ^{.83}	AS2450	24mm	50mm	\$ 75 .50	\$86 .83			
AS2525	25mm	25mm	\$ 59 .00	\$67 ^{.85}	AS2550	25mm	50mm	\$ 80 .50	\$92 ^{.58}			
AS2625	26mm	25mm	\$60 ^{.00}	\$69 ^{.00}	AS2650	26mm	50mm	\$82 ^{.50}	\$94 ^{.88}			
AS2725	27mm	25mm	\$ 63 .50	\$73 .03	AS2750	27mm	50mm	\$87.00	\$100 .05			
AS2825	28mm	25mm	\$63 .50	\$73 ^{.03}	AS2850	28mm	50mm	\$89 .50	\$102 ^{.93}			
AS2925	29mm	25mm	\$66 ^{.50}	\$76 ^{.48}	AS2950	29mm	50mm	\$92 ^{.50}	\$106 ^{.38}			
AS3025	30mm	25mm	\$70 .00	\$80.50	AS3050	30mm	50mm	\$97.00	\$111 .55			
AS3125	31mm	25mm	\$72 .00	\$82 ^{.80}	AS3150	31mm	50mm	\$100 ^{.50}	\$115 ^{.58}			
AS3225	32mm	25mm	\$ 72 .00	\$82 ^{.80}	AS3250	32mm	50mm	\$100 ^{.50}	\$115 ^{.58}			
AS3325	33mm	25mm	\$80.50	\$92 ^{.58}	AS3350	33mm	50mm	\$109 ^{.50}	\$125 ^{.93}			
AS3425	34mm	25mm	\$86 ^{.00}	\$98.90	AS3450	34mm	50mm	\$111 ^{.50}	\$128 ²³			
AS3525	35mm	25mm	\$88 ^{.00}	\$101 ^{.20}	AS3550	35mm	50mm	\$116 ^{.00}	\$133 ^{.40}			
AS3625	36mm	25mm	\$93.00	\$106 ^{.95}	AS3650	36mm	50mm	\$120 ^{.50}	\$138 ^{.58}			
AS3725	37mm	25mm	\$98 .50	\$113 ^{.28}	AS3750	37mm	50mm	\$123 ^{.50}	\$142 ^{.03}			
AS3825	38mm	25mm	\$102 ^{.50}	\$117 ^{.88}	AS3850	38mm	50mm	\$130 ^{.50}	\$150 ^{.08}			
AS3925	39mm	25mm	\$105 ^{.00}	\$120 ^{.75}	AS3950	39mm	50mm	\$134 ^{.50}	\$154 ^{.68}			
AS4025	40mm	25mm	\$10 7 .50	\$123 ^{.63}	AS4050	40mm	50mm	\$140 ^{.00}	\$161 ^{.00}			
AS4125	41mm	25mm	\$112 ^{.00}	\$128 ^{.80}	AS4150	41mm	50mm	\$144 ^{.50}	\$166 ^{.18}			
AS4225	42mm	25mm	\$117 ^{.50}	\$135 ^{:13}	AS4250	42mm	50mm	\$153 ^{.50}	\$176 ^{.53}			
AS4325	43mm	25mm	\$123 ^{.00}	\$141 ^{.45}	AS4350	43mm	50mm	\$158 ^{.00}	\$181 ^{.70}			
AS4425	44mm	25mm	\$129 ^{.00}	\$148 ^{.35}	AS4450	44mm	50mm	\$163 ^{.50}	\$188 ^{.03}			
AS4525	45mm	25mm	\$133 ^{.00}	\$152 ^{.95}	AS4550	45mm	50mm	\$169 ^{.00}	\$194 ^{.35}			
AS4625	46mm	25mm	\$140.00	\$161 ^{.00}	AS4650	46mm	50mm	\$175 ^{.00}	\$201.25			
AS4725	47mm	25mm	\$144 ^{.50}	\$166 ^{.18}	AS4750	47mm	50mm	\$182 ^{.00}	\$209 ^{.30}			
AS4825	48mm	25mm	\$147 ^{.00}	\$169 ^{.05}	AS4850	48mm	50mm	\$187.00	\$215.05			
AS4925	49mm	25mm	\$152 ^{.50}	\$175 ^{.38}	AS4950	49mm	50mm	\$195.00	\$224 ^{.25}			
AS5025	50mm	25mm	\$161 ^{.50}	\$185 ⁷³	AS5050	50mm	50mm	\$205.00	\$235,75			
AS5125	51mm	25mm	\$169 ^{.00}	\$194 ^{.35}	AS5150	51mm	50mm	\$209 ^{.00}	\$240 ³⁵			
AS5225	52mm	25mm	\$177 .50	\$204 ^{.13}	AS5250	52mm	50mm	\$214 ^{.50}	\$246.68			
					AS5550	55mm	50mm	\$231 ^{.00}	\$265 ^{.65}			

Holemaker Silver Series Annular Cutters

M2AL HIGH SPEED STEEL MATERIAL

M2AL High Speed Steel is a high alloy material with a hardness of up to 67.5 HRC, designed for increased endurance of the cutting edge and tool life.

STEP HARDENED PROCESS

This state of the art manufacturing process produces cutters with extremely hard tooth tips for increased cutter performance, while maintaining a softer body which is less susceptible to breakage than standard high speed steel cutters.

MULTI-CUT GEOMETRY

Provides smooth and fast cutting, with decreased chatter. This also increases the cutters ability to remove swarf away from the cut, and helps to enhance centering.

FULLY GROUND WITH INTERNAL RELIEF

This feature allows Holemaker cutters to produce reamed quality, burr-free holes and also helps to reduce torque and horsepower requirements.

UNIVERSAL SHANK

19.05mm (3/4") Universal Shank with 2 flat sections to suit most magnetic base drilling machines.

PILOT PIN DIAMETER

6.35mm (for 25mm DOC use SP16003, for 50mm DOC use SP16004)



⊕TACTIX Ball Pein Hammers



ETACTIX Dumpy Hammers



- FEATURES:
 NF& TUV/GS certified.
- Forged hammer head
- Non-slip bi-material fibreglass handle
 Stone Hammer

\$32^{.00}(ex GST) \$36.80_(inc GST) **220533** - 1250a **220535** - 1500g \$43^{.50}(ex GST) \$50^{.03}(inc GST)

⊕ TACTIX Machinist Hammer



⊕TACTIX Rubber Mallet Hammers



⊕TACTIX Fibreglass Sledge Hammer



\$129^{.38}(inc GST)

⊕TACTIX Tape Measures

FEATURES:

 Steel tape with impact resistant ABS case and locking switch.

\$8.00_(ex GST) 235085 - 5m x 19mm \$15^{.00}(ex GST) 235088 - 8m x 25mm 235345 - 8m x 25mm

\$20^{.50}(ex GST) \$23^{.58}(inc GST) Nyslick Blade
 Extra large hook



CACTIX Long Tape with Soft Handle

\$112^{.50}(ex GST)

FEATURES:

- Impact resistant bi-material non-slip case.
- Fibreglass blade.

222565 - 5.4kg (12lb)

240130 - 30m x 15mm \$30^{.00}(ex GST) \$34^{.50}(inc GST) \$19^{.00}(ex GST) \$21.85_(inc GST) 240610 - 10m x 15mm \$23^{.00}(ex GST) \$26^{.45}(inc GST) 240620 - 20m x 15mm \$30^{.00}(ex GST) \$34^{.50}(inc GST) 240630 - 30m x 15mm



⊕TACTIX Combination Spanner Set



⊕TACTIX Combination Spanner Set



- Chrome Vanadium Steel, Drop Forged, • DIN3113
- Set Contents: 27, 28, 30, 32, 36, 38, 41, 42mm

\$240.35 inc

⊕TACTIX Combination Spanner Set



FEATURES:

- Chrome Vanadium Steel. Drop Forged.
 DIN3113
- Set Contents: 43, 44, 45, 46, 48, 50, 55, 60mm

CLEANING



PROTECTION

1L Blizzard Foam Wash

Code No. SM1001

Schmick Mick Blizzard Foam is not your ordinary cleaning solution. It is a game changer, specifically designed to tackle the toughest cleaning challenges with ease.

Directions: Pour 3 to 4 caps full into the Foaming Gun or Cannon and add water. Shake well and apply with hose or pressure washer. Allow solution to sit for 40 second, agitate with sponge or cloth and rinse. Can also be used diluted into a bucket of water and applied with a sponge.



1L Ceramic, Hydro Foam Wash

Code No. SM1002

Schmick Mick Ceramic/Hydro Foam helps shield your surfaces from future stains and grime accumulation in addition to providing superb cleaning results. Because of the protective layer that is created by its ceramic technology, dirt is repelled, making it easier to clean with each wash.

Directions: Add 3 to 4 caps full to a Schmick Mick Foaming Cannon or Gun and fill with water. Shake well and press trigger and apply all over surface. Let sit for 40 seconds and sponge in to agitate dirt and grime then hose off.



\$48.88 inc

SCHMICK

1L Grime Degreaser

\$38.53 inc

Schmick Mick degreaser, the best remedy for difficult cleaning problems. designed to remove grease accumulation and leave your surfaces clean and grime-free. Our degreaser is also designed not to fade metal components.

Directions: Spray on surface and leave for 1 minute to allow the degreaser to penetrate. Use hose or pressure washer to rinse the area clean. For tougher areas you may need to use a sponge or scrubbing brush.



500ml Ceramic Protection

\$38.53 inc

Schmick Mick Ceramic Protection harnesses the power of advanced ceramic technology to create a durable, hydrophobic barrier on your vehicle's surface. This powerful solution provides a protective layer and forms an invisible shield that repels water, dirt, UV rays, and other contaminants, keeping your investment safe from damage and deterioration.

Schmick Mick Ceramic Protection is a breeze to apply. Its easy-to-use application process that allows you to achieve professional results without the need for specialized tools or equipment.

Directions: Spray on surface and gently wipe over evenly with a micro fibre cloth. For best results apply after washing your vehicle, bike or boat.



\$49^{.45} inc

SCHMICK MICK

500ml Like New Vinyl & Plastic Restorer

Code No. SM1005

Schmick Mick Like New Vinyl & Plastic Restorer is a truly exceptional product that offers a wide range of benefits for revitalizing and restoring vinyl and plastic surfaces.

Directions: Spray directly on surface or directly into a micro fibre cloth and wipe



750ml Glass Cleaner

\$28.75 inc

Code No. SM1009

Schmick Mick Clear Vision Glass Cleaner uses an advanced formula which guarantees streak free results, ensuring that your windows, mirrors, and glass surfaces sparkle like never before. Powerful solution is perfect for a wide range of applications, including automotive windows, household mirrors, glass furniture, and more. It's a must-have for every vehicle owner of in the home.

Directions: Spray on surface liberally and wipe clean with a clean paper towel or a micro fibre cloth.



\$28.75 inc

SCHMICK

20L Extreme Truck Wash

Code No. SM4001E-20

For that serious wash to remove heavy duty mud, grease and stains from your 4WD, Truck, Motorbike, Caravan or Heavy Machinery

DIRECTIONS

- For low soiling dilute product 1:25,
 For medium soiling dilute product 1:20
 Hose surface then apply detergent with a sponge
 Hose off before solution dries and chamois for a streak free finish



\$159.85 inc



SCHMICK

750ml Tyre Shine

Code No. SM4003B-20

A quick-break biodegradable degreaser. Suitable for use across a broad range of applications and has the advantage of being environmentally friendly.

DIRECTIONS

For cleaning of machines or floors, dilute with water 3:1 for cold machines, 4:1 for hot machines. For extremely dirty surfaces increase strength as required. Always test in an inconspicuous place prior to use and adjust dilution as required.

\$194.35 inc





Spring Dividers

FEATURES:

- Manufactured from selected steel
- Calipers and dividers have a spring joint for precision settings Legs pivot on a roller and are tensioned by a bow spring.
- Divider points are hardened for increased wear resistance.
- Large bearing surface prevents side deflection of legs.

\$19^{.00}(ex GST) **\$21**.85_(inc GST) **GZ01421** - 100mm **\$27**.60_(inc GST) **GZ01422** - 150mm \$24.00_(ex GST) **\$37**.38 (inc GST) \$32^{.50}(ex GST) G701423 - 200mm **GZ01424** - 250mm \$42^{.50}(ex GST) \$48.88 (inc GST)

\$50^{.00}(ex GST)

\$57^{.50}(inc GST)



				_			
Ш	S	d	e (Cá	ali	рe	r

FEATURES:

- Manufactured from selected steel
- Calipers and dividers have a spring joint for precision settings. Legs pivot on a roller and are tensioned by a bow spring.
- Divider points are hardened for increased wear resistance.
- Large bearing surface prevents side deflection of legs.

\$19^{.00}(ex GST) **\$21**.85 (inc GST) **GZ01401** - 100mm \$24^{.00}(ex GST) **GZ01402** - 150mm **\$27**.60 (inc GST) \$37.38 (inc GST) \$32^{.50}(ex GST) GZ01403 - 200mm **GZ01404 -** 250mm \$42^{.50}(ex GST) \$48.88 (inc GST) **GZ01405** - 300mm \$50^{.00}(ex GST) \$57^{.50}(inc GST)





Outside Calipers

FEATURES:

GZ01425 - 300mm

- Manufactured from selected steel.
- Calipers and dividers have a spring joint for precision settings.
 Legs pivot on a roller and are tensioned by a bow spring.
 Divider points are hardened for increased wear resistance.
- Large bearing surface prevents side deflection of legs.

GZ01411 - 100mm	\$19 ^{.50} (ex GST)	\$22 ^{.43} (inc GST)
GZ01412 - 150mm	\$24 ^{.00} (ex GST)	\$27 ^{.60} (inc GST)
GZ01413 - 200mm	\$31 ^{.50} (ex GST)	\$36 ^{.23} (inc GST)
GZ01414 - 250mm	\$42 ^{.50} (ex GST)	\$48 ^{.88} (inc GST)
G701/15 - 300mm	\$50.00 (cur cer)	\$57.50





Wing Compass

FEATURES:

Rugged industrial grade compasses are manufactured from heavy gauge steel with an attractive black power coated finish. The tip is accurately ground. Heavy duty hinge and knurled nut help in convenient

Used for precisely scribing arcs and circles on projects and drawings

\$43^{.00}(ex GST) \$49.45 (inc GST) GZ01550 - 150mm (6") \$64^{.98}(inc GST) \$56^{.50}(ex GST) GZ01551 - 200mm (8") GZ01554 - 400mm (16") \$111.00_(ex GST) \$127.65 (inc GST)





Wheel Dressers

FEATURES:

- Wheel Dressers are designed for dressing, truing, sharpening and removing glaze from solid abrasive wheels. Body is powder coated. The cast iron handle is ergonomically designed for comfortable grip

 • The cutters have star shaped teeth that expose new grains and provide a fresh unloaded surface on
- **GZ12070** \$30^{.00}(ex GST) \$34^{.50}(inc GST)
 Size: #0
 Dresser Length: 255mm
 Cutter Diameter: 30mm
- **GZ12071** \$40⁵⁰(ex str) \$46⁵⁸(inc str)
 Size: #1
 Dresser Length: 270mm
 Cutter Diameter: 38mm
- GZ12072 \$80⁵⁰ (ex GST) \$92⁵⁸ (inc GST)
 Size: #2
 Dresser Wheel Range: Large sizes
 Cutter Diameter: 60mm





BV Professional Bench Vices

Max. Pressure: 20000PSI / 1400kgf/cm²

\$130^{.50}(ex GST) **\$1!**• Jaw Opening: 100mm (4") G735400 \$150.08_{(inc GST} • Jaw Width: 75mm (3") • Throat Depth: 50mm (2")

\$227^{.00}(ex GST) \$2 Jaw Opening: 125mm (5") **\$261**.05_(inc GST) GZ35401

• Jaw Width: 100mm (4") • Jar • Throat Depth: 55mm (2-5/32") \$297^{.00}(ex GST) \$341.55 (inc GST)

 Jaw Width: 125mm (5") Jaw Opening: 150mm (6") • Throat Depth: 70mm (2-3/4")

\$402.00_(ex GST) GZ35403 Jaw Width: 150mm (6") Jaw Opening: 175mm (7") • Throat Depth: 80mm (3-5/32")

\$673^{.50}(ex GST) GZ35404 -Jaw Width: 200mm (8")Throat Depth: 100mm (4") Jaw Opening: 200mm (8")

These are amongst the heaviest vices in the market place. The strong body, heavy slide jaw and large diameter main screw are designed to withstand tough usage in industrial applications and training workshops.



Multi Purpose Vice

Code No. GZ35477

Features

- So So wivel base & 180° rotating jaw head.
 SG iron movable jaw & slide accurately machined for smooth and reliable clamping.
 Jaws hardened 50±5 HRC for increased resistance to wear.
- Rotating jaw head allows selection of either a standard parallel serrated jaw or pipe jaws with an integral v jaw assembly.

 Jaw head can be pivoted 180° either side and locked in any position.

 Pipe jaw can hold pipes with diameter upto 137mm.

Specifications Jaw Opening: 125mm Throat Depth: 70mm Net Weight: 15.50kg







Drill Press Vices

Sturdy design for Drill Stands, Bench Drills and Drill Presses, these compact vices have a low profile format making them suitable for multitude of metal working and woodworking applications.

\$133.50_(ex GST) \$153.53 (inc GST) G735120

- Jaw Width: 80mm Jaw Opening: 70mm Jaw Depth: 30mm

GZ35121

\$202^{.98}(inc GST) \$176^{.50}(ex GST) Jaw Width: 100mm

- Jaw Opening: 92mm
 Jaw Depth: 30mm

G735122

Jaw Width: 120mm
 Jaw Opening: 110mm
 Jaw Depth: 35mm

\$275^{.50}(ex GST)

